Fuzzy Predictive Control of Wind Turbine Systems Via Singular Perturbation Theory

Yan Zhang, Zhong Yang, Haifei Si

Jinling Institute of Technology, 211169 Nanjing, China

Abstract. In this paper, the maximum power point tracking problem of variable-speed wind turbine systems is studied. The mechanical and electromagnetic dynamics of the wind turbine systems are both taken into account. Since the electromagnetic parts change much faster than the turbine part, the whole system is modeled in two time scales base on singular perturbation theory. And a T-S fuzzy model predictive control strategy is then developed. The controller is validated with a wind turbine simulator. The results have shown better performance in comparison with existing controllers.

1 Introduction

Wind energy is a clean and inexhaustible resource. Nowadays wind conversion control systems have attracted lots of researchers' attention, especially about variable-speed turbines.

Variable-speed wind turbines operate in two regimes, below-rated power and above rated power. Control objectives of wind conversion are different depending on the operating area. For low wind speed, the primary aim is to maximize the wind energy capture [1], [2]. Many research work are in the aim to optimize wind power capture [2]-[5]. This paper focuses on rotating the rotor speed at a reference proportional to the effective wind speed in order to reach the maximum wind energy capture. In other words, the maximum power point tracking problem is considered in this paper.

Many control strategies, including linear and nonlinear controllers, were proposed in the existing literature. PID pitch controller is a classical approach for the rotor speed, which can be found in [6]. Another known method is an LQG controller [7], [8] These controllers resulted in acceptable results, but still insufficient. Then, intelligent control ideas are combined with the classical approaches. References [9], [10] present fuzzy PID controller to capture the maximum wind energy. And references [11] and [12] employ neural network and genetic algorithm respectively for maximum power extraction.

As for the nonlinear control methods, Boukhezzar^[13] dissociates the generator and aeroturbine control, designs a nonlinear cascaded control structure containing two control loops: the inner loop deals with the electric generator and the outer loop concerns the aeroturbine. In [14], a nonlinear model predictive controller is developed. The predictive calculation is based on the input-output feedback linearization scheme, and the

control law is derived from optimization of an objective function.

Although a considerable bibliography is devoted to the maximum power point tracking problem, most of them do not consider that the generator part varies much faster than the aeroturbine part. However, as a matter of fact, mechanical components are slower compared with electrical components. The whole wind turbine system is in two-time-scale. It is known that two time scale system usually are difficult to control. A slow controller is impossible to respond the fast states timely and appropriately. As for a fast controller, the variation of the slow states is nearly zero in a short time, and this will lead to data loss.

Singular Perturbation (SP) theory is a "gift" to control these multiple scale systems [15], [16] with the remedial features of both dimensional reduction and stiffness relief. In this paper, the wind turbines' mechanical and electrical components are both exploited, in a nonlinear singularly perturbed model. Then, the mathematical model is reformed into T-S fuzzy model. A T-S fuzzy model based predictive controller is proposed.

The contribution of this paper is, on the one hand, the consideration of both mechanical and electrical components. Taken the wind rotor speed ω_r , generator speed ω_s and internal torque T_H as the slow states, and q, d components of the stator currents, i_d , i_q as the fast states, a singularly perturbed T-S fuzzy model is presented. With regards to the literature, this model takes advantage of the two-time-scale property of the wind turbine systems.

On the other hand, the contribution consists of proposing a nonlinear Model Predictive Controller (MPC) composed of slow and fast MPC sub-controllers based on the T-S fuzzy model. The cost function is defined of tracking error e(t) (between the rotor speed ω_r and the

optimal rotor speed ω_r^{ref}) and the variation of the input, u(t). By the optimization of the cost function, a subcontroller is derived to maintain the rotor speed ω_r at the optimal rotor speed ω_r^{ref} . In doing so, the wind energy capture is minimized. Similarly, the fast MPC subcontroller could be designed. And the whole controller is composed of slow sub-controller and fast sub-controller.

The remainder of this paper is organized as follows. The singularly perturbed T-S fuzzy model of the wind turbine systems is described in Section 2. Section 3 designs a composite model predictive controller. In Section 4, the control strategy is validated upon the mathematical model using MATLAB. In the end, Section 5 discusses the conclusion of this work.

For the reader convenience, the list of symbols is given in Table 1.

TADIE I. LISUOI SVIIDOIS	Table	1.	List	of	sym	bols	
---------------------------------	-------	----	------	----	-----	------	--

Symbols	Meaning	
V(t)	Wind speed, $m s^{-1}$	
$\omega_r(t)$	Rotor speed, $rad s^{-1}$	
$\omega_{ref}(t)$	Optimal rotor speed, $rad s^{-1}$	
$\omega_{g}(t)$	Generator speed, $rad s^{-1}$	
T _H	Internal torque, Nm	
i	Gearbox ratio	
η	Gearbox efficiency	
J _r	Wind rotor inertia, Kgm^2	
J _g	Generator inertia, Kgm^2	
K_{g}	High-speed shaft stiffness coefficient, <i>Nmrad</i> ⁻¹	
B_{g}	High-speed shaft damping coefficient, $Kgm^2 s^{-1}$	
Р	Number of pole pairs	
Φ_{m}	Flux linkage, Wb	
i _d	<i>d</i> components of the stator currents, <i>A</i>	
i _q	q components of the stator currents, A	
T _r	Aerodynamic torque, Nm	
R _s	Stator resistance, Ω	
L_d	Stator d — axis inductance, mH	
L_q	Stator q – axis inductance, mH	

u _d	Stator d – axis voltage, V
u_q	Stator q – axis voltage, V

2 System Description and Decomposition

2.1 Problem Description

Consider a class of wind turbine systems developed as a nonlinear singularly perturbed model as below:



$$A_{1}x(t) + B_{1}z(t) + C_{1}T_{r}$$
(1)

)

$$\dot{\varepsilon}i_{d}(t) = -\frac{R_{s}}{L_{d} \times 10^{2}}i_{d}(t) + \frac{PL_{q}}{L_{d} \times 10^{2}}i_{q}(t)\omega_{g}(t) - \frac{1}{L_{d} \times 10^{2}}u_{d}(t)$$
(2a)

$$\dot{\varepsilon} \dot{i}_{q}(t) = -\frac{R_{s}}{L_{q} \times 10^{2}} \dot{i}_{q}(t) - \frac{P}{L_{q} \times 10^{2}} (L_{d} \dot{i}_{d}(t) - \Phi_{m}) \\ \times \omega_{g}(t) - \frac{1}{L_{q} \times 10^{2}} u_{q}(t)$$
(2b)

where $\varepsilon = 0.01$. Define $z = \begin{bmatrix} i_d & i_q \end{bmatrix}^T$, and rearrange equations (2) into the matrix form as below

$$\begin{split} \dot{\varepsilon} z(t) &= \begin{bmatrix} 0 & \frac{PL_q}{L_d \times 10^2} i_q(t) & 0 \\ 0 & -\frac{P}{L_q \times 10^2} (L_d i_d(t) - \Phi_m) & 0 \\ A_2(z) \end{bmatrix} x(t) + \\ \begin{bmatrix} -\frac{R_s}{L_d \times 10^2} & 0 \\ 0 & -\frac{R_s}{L_q \times 10^2} \end{bmatrix} z(t) + \begin{bmatrix} -\frac{1}{L_d \times 10^2} & 0 \\ 0 & -\frac{1}{L_q \times 10^2} \end{bmatrix} u(t) \\ \dot{E}_2 & \dot{C}_2 \\ \dot{E}_2 & \dot{C}_2 \end{bmatrix} z(t) + B_2 z(t) + C_2 u(t) \end{split}$$

So we get the system expressed as the singularly perturbed model:

$$\begin{aligned} \dot{x}(t) &= A_1 x(t) + B_1 z(t) + C_1 T_r \\ \dot{\varepsilon} z(t) &= A_2 (z) x(t) + B_2 z(t) + C_2 u(t) \end{aligned} \tag{4}$$

Our objective is to rotate the wind rotor speed ω_r to track the optimal value $\omega_r^{opt} = \lambda_{opt}V(t)$. Further more, the system will be presented in a fuzzy linear dynamic model called Takagi-Sugeno model. This fuzzy model is described by the IF-THEN rules, and the *jth* rule is of the following form:

Plant Rule
$$j$$
: IF $i_d(t)$ is of M_{j1} and $i_q(t)$ is of M_{j2}

Then
$$\begin{cases} \dot{x}(t) = A_1 x(t) + B_1 z(t) + C_1 T_r \\ \dot{z}(t) = A_2 x(t) + B_2 z(t) + C_2 u(t) \end{cases}, \quad j = 1, 2, \dots r. (5)$$

where M_{j1} and M_{j2} are the fuzzy term-set, r is the number of IF-THEN rules, and $i_d(t)$ and $i_q(t)$ are the premise variables.

Then, the overall singularly perturbed model is inferred as follows:

$$\dot{x}(t) = \sum_{j=1}^{r} h_j \left\{ A_1 x(t) + B_1 z(t) + C_1 T_r \right\}$$

$$\dot{\varepsilon} z(t) = \sum_{j=1}^{r} h_j \left\{ A_{2j} x(t) + B_2 z(t) + C_2 u \right\}$$
(6)

where

$$h_{j} = \frac{\mu_{j}(z(t))}{\sum_{j=1}^{r} \mu_{j}(z(t))}, \quad \mu_{j}(z(t)) = M_{j1}M_{j2},$$
$$\begin{cases} \sum_{j=1}^{r} \mu_{j}(z(t)) > 0\\ \mu_{j}(z(t)) \ge 0 \end{cases}, \quad j = 1, 2, \cdots r \end{cases}$$

For all t, h_j is the grade of membership of z(t) in M_{jl} . From the definition of $h_j(z(t))$, it is easy to be seen that

$$\begin{cases} \sum_{j=1}^{r} h_j(z(t)) = 1\\ h_j(z(t)) \ge 0 \end{cases}, \quad j = 1, 2, \cdots r \tag{7}$$

Remark 1: Since the $A_2(z)$ varies with time t and the state z, it is difficult to get the unique solution of z as $z_s = h(t, x, u_f)$ for order reduction from equation (4). To make up for this drawback, we linearized the nonlinear model based on the different values of $A_2(z)$ while z(t) changes. Namely, the fast state $z(t) = [i_d(t) \ i_q(t)]$ is the premise variable.

Remark 2: By representation of the singularly perturbed nonlinear dynamic model of the wind turbine system, we have obtained a linear dynamic fuzzy model. For a linear model, much more practical linear control theories can be applied. In this paper, we adopt the Model Predictive Control (MPC) method.

Remark 3: It can be noticed that in the equation (6), the coefficient matrices do not vary with the subscript j. That is, $\{A_1x(t) + B_1z(t) + C_1T_r\}$ part is independent of h_j . Therefore, the equation (6) can be simplified into $\dot{x}(t) = A_1x(t) + B_1z(t) + C_1T_r$. However, to keep the uniform formats of the slow and fast subsystems, we prefer the equation (6) to be expressed of the fuzzy model.

As we can see that the singular perturbation parameter ε is caused because of the different time scales between the mechanical dynamic, namely the speed and torque, and the electric dynamic which are the varying electric current. With the small parameter ε multiplying the state z, it is difficult to apply common analysis and control theories to the SPS.

In order to analyze and control the singular perturbed T-S model (6), the corresponding slow and fast subsystems are derived.

2.2 Two-Time-Scale System Decoupling

In this section, the system decoupling procedure is briefly described of equations $(5)^{[12,17]}$.

Define new variables as $\eta = z + L_j x$, $\xi = x - \varepsilon N_j \eta$, then we can get

$$\begin{bmatrix} \dot{\xi} \\ \vdots \\ \varepsilon \eta \end{bmatrix} = \begin{bmatrix} F_{1j} & 0 \\ 0 & F_{2j} \end{bmatrix} \begin{bmatrix} \xi \\ \eta \end{bmatrix} + \begin{bmatrix} G_{1j} \\ G_{2j} \end{bmatrix} T + \begin{bmatrix} H_{1j} \\ H_{2j} \end{bmatrix} u$$
(8)

where $F_{1j} = A_1 - B_1 L_j$, $F_{2j} = B_2 + \varepsilon L_j B_1$,

$$\begin{aligned} G_{1j} &= C_1 - \varepsilon N_j L_j C_1, \ G_{2j} = \varepsilon L_j C_1, \ H_{1j} = -N_j C_2, \ H_{2j} = C_2 \\ L_j \ \text{and} \ N_j \ \text{satisfy} \end{aligned}$$

$$A_{2j} - B_2 L_j + \varepsilon L (A_1 - B_1 L_j) = 0$$
 (9)

$$N_j B_2 - B_1 + \varepsilon N_j L_j B_1 - \varepsilon A_1 + \varepsilon B_1 L_j N_j = 0$$
(10)

First, the *jth* plant rule of fuzzy slow subsystem is expressed as below:

Plant Rule j:

IF $i_d(t)$ is of M_{j1} and $i_q(t)$ is of M_{j2}

THEN

$$\dot{\xi}(t) = F_{1j}\xi(t) + H_{1j}u_s(t) + G_{1j}T_r$$
(11)

where $A_{01j} = A_1 - B_1 B_2^{-1} A_{2j}$, and $B_{01} = B_1 B_2^{-1} C_2$.

Second, the *jth* plant rule of fuzzy fast subsystem is expressed as below

Plant Rule j:

IF $i_d(t)$ is of M_{i1} and $i_a(t)$ is of M_{i2}

THEN

$$\varepsilon z_f(t) = B_{20} z_f(t) + C_{20} u_f$$
 (12)

where $B_{20} = B_1 B_2^{-1}$.

Define $\tau = \frac{t}{\varepsilon}$, and substitute it into the fast subsystem, then we can obtain

$$\frac{dz_f(\tau)}{d\tau} = B_2 z(\tau) + C_2 u_f(\tau)$$
(13)

Then the overall slow and fast subsystems of the normal SPF system are inferred as

$$\dot{x}_{s}(t) = \sum_{i=1}^{r} h_{i} \left\{ A_{01} x_{s}(t) + B_{01} u_{s}(t) + C_{1} T_{r} \right\}$$
(14a)

$$\frac{dz_f(\tau)}{d\tau} = \sum_{i=1}^r h_i \left\{ B_2 z(\tau) + C_2 u_f(\tau) \right\} = B_2 z(\tau) + C_2 u_f(\tau) \quad (14b)$$

Remark 4: In order to simplify the model, we take the inputs, including $B_{01}u_s(t)$ and C_1T_r , of the (14a) as a generalized input \overline{u}_s , that is to say, $\overline{u}_s = B_{01}u_s(t) + C_1T_r$. The following system is then derived:

$$\dot{x}_{s}(t) = \sum_{i=1}^{r} h_{i} \left\{ A_{01} x_{s}(t) + \overline{u}_{s}(t) \right\}$$
(15a)

$$\frac{dz_f(\tau)}{d\tau} = B_2 z(\tau) + C_2 u_f(\tau)$$
(15b)

3. Controller Design

Now the wind turbine system is modeled as a singularly perturbed T-S fuzzy system. In fact, the model is composed of r linearized subsystems. Based on the singularly perturbed T-S fuzzy model, the outputs could be predicted in time horizon T. In order to minimize the error e(t) between the predicted outputs and the reference, a cost function of e(t) is defined. Besides, variation of the input, $\dot{u}(t)$, will lead to overmuch transient load. Therefore, $\dot{u}(t)$ is also taken into the cost function. By minimization of the cost function, a sequence of future control inputs is derived. However, only the first input in the optimal sequence is sent into the plant, and the entire calculation is repeated at subsequent control intervals. The whole model predictive control strategy is presented in Fig. 1.



Fig. 1. SP T-S Fuzzy Model Predictive Control Structure.

Taking the slow subsystem for example, the model predictive control method^[18] is presented. The *jth* slow subsystem is given as follows:

$$\begin{aligned} \dot{x}_s(t) &= A_{sj} x_s + B_{sj} u_s \\ y_s(t) &= C_{sj} x_s \end{aligned} \tag{16}$$

with the cost function

$$J_{s} = \int_{0}^{T} \left(X_{s}'(t_{i} + \tau | t_{i}) Q_{s} X_{s}(t_{i} + \tau | t_{i}) + u_{s}'(\tau) R_{s} u_{s}(\tau) \right) d\tau (17)$$

where T is the prediction horizon, $X_s(t_i + \tau)$ is the state of augmented model as below:

$$X_{s}(t) = \begin{bmatrix} \cdot \\ x_{s}(t) \\ y_{s}(t) - \omega_{ref}(t) \end{bmatrix}$$
(18)

$$\dot{X}_{s}(t) = \begin{bmatrix} \vdots \\ x_{s}(t) \\ \vdots \\ y_{s}(t) - \omega_{ref}(t) \end{bmatrix}$$

$$= \begin{bmatrix} A_{sj} & 0 \\ C_{sj} & 0 \end{bmatrix} \begin{bmatrix} \vdots \\ x_{s}(t) \\ y_{s}(t) - \omega_{ref}(t) \end{bmatrix} + \begin{bmatrix} B_{sj} \\ 0 \end{bmatrix} \dot{u}_{sj}(t)$$
(19)

Remark 5: Since the wind speed is a continuous variable, it is reasonable to assume that V(t) is derivable. Then, it is obvious to know that $\omega_{ref}(t) = \frac{\lambda_{opt}}{R}V(t)$ is derivable, which means $\dot{\omega}_{ref}(t)$ exists.

The variation of the input, $\dot{u}_{i}(t)$, will lead to overmuch transient load and cost energy. As a consequence, instead of modeling the control signal, the continuous-time predictive control design will target the derivative of the control signal, $\dot{u}_{si}(t)$, which will satisfy the property

$$\int_0^{\infty} \dot{u}_{sj}(t) dt < \infty$$
⁽²⁰⁾

A set of Laguerre functions $L(\tau)$ is used as orthonormal basis functions^[18]. According to [18], the derivative of the control signal can be described as:

$$\dot{u}_{sj}(\tau) \approx \sum_{i=1}^{N} C_i l_i(\tau) = L'(\tau) \varsigma$$
(21)

where $\varsigma = [c_1 \ c_2 \ \cdots \ c_N]'$ is the vector of coefficients as below:

$$\varsigma = -\Omega^{-1} \Psi X_s(t_i) \tag{22}$$

$$\Omega = \int_0^T \Phi(\tau) Q_s \Phi'(\tau) d\tau + R_L$$
(23)

$$\Psi = \int_0^T \Phi(\tau) Q_s e^{A_s \tau} d\tau \qquad (24)$$

$$\Phi'(\tau) = \int_0^\tau e^{A_s(\tau-\gamma)} \Big[B_{sl} L_1'(\gamma) \quad \cdots \quad B_{sm} L_m'(\gamma) \Big] d\gamma$$
(25)

and the minimum of the cost function $J_{s\min}$ is:

$$J_{s\min} = X_s'(t_i) \left[\int_0^T e^{A_{sj}\tau} Q_s e^{A_s\tau} d\tau - \Psi' \Omega^{-1} \Psi \right] X_s(t_i)$$
(26)

So feedback gain matrix K_{ms} is as below:

$$K_{ms} = \begin{bmatrix} L_{1}'(\tau) & 0 & 0 & 0\\ 0 & L_{2}'(\tau) & 0 & 0\\ 0 & 0 & \ddots & 0\\ 0 & 0 & 0 & L_{m}'(\tau) \end{bmatrix} \Omega^{-1} \Psi \triangleq \begin{bmatrix} K_{xs} & K_{ys} \end{bmatrix} (27)$$

Therefore, $u_{sj}(t) = -K_{ms} X_{s}(t)$, and $u_{s}(t) = \sum_{i=1}^{r} u_{sj}(t)$.

Similarly, we can get $u_f(t)$ using MPC for the fast subsystem. Then composite input u(t) for the original system is obtained:

$$u(t) = u_s(t) + u_f(t)$$
 (28)

4 Example

In this section, the parameters of the CART 3 located at the NREL are utilized to validate the control method proposed. The CART 3 parameters are summarized in Table 2.

The control objective is to optimize the wind power capture. Therefore, the tip speed ration should be fixed to its optimal value by maintaining the rotor speed ω_r at

the optimal rotor speed $\omega_r^{ref} = \lambda_{opt} \frac{V(t)}{R}$.

Table 2. Wind Energy Conversion System Parameter

Tip speed ratio λ_{opt}	5.8
Blade rotor R	21.65 <i>m</i>
Air density ρ	$0.98 Kg m^{-3}$
Gearbox ratio <i>i</i>	43.165
Wind rotor inertia J_r	$3.88 Kgm^2$
Generator inertia J_g	$0.22 Kgm^2$
Stator d – axis inductance L_d	41.56mH
Stator q – axis inductance L_q	41.56mH

4.1 Constant Tracking Example

The first example is to track a step signal as seen in Fig 2. The red solid line is the reference. The T-S MPC controlled results in blue are compared with the ones controlled by Nonlinear Feedback Linearization (NFL) method. Tracking errors are presented in Fig 3. It shows that rotor speed ω_r can reach the optimal value faster controlled by T-S MPC than that controlled by NFL controller.



Fig 2: Constant Tracking

4.2 Turbulence Tracking Example

The T-S MPC controller is tested to track the wind turbulence. And the controlled results are shown in Fig 4. It can be seen that the rotor speed controlled by the T-S MPC can track the desired rotor speed much better than that of the NFL method.



Fig 3: Constant Tracking Error



Fig 4: Wind Turbulence Tracking Results by T-S MPC and NFL

https://doi.org/10.1051/e3sconf/20187201008

The controllers performances are compared in Table 3 using the aerodynamic efficiency η_{aero} . It is defined as

$$\eta_{aero}\left(\%\right) = \frac{\int_{t_0}^{t_f} P_a dt}{\int_{t_0}^{t_f} P_{aopt} dt}$$

where $P_{aopt} = \frac{1}{2} \rho \pi R^2 C_{Popt} v^3$ is the optimal aerodynamic power corresponding to the wind speed. Apparently, the method proposed in this paper improved the aerodynamic efficiency compared with the NFL method.

Table 3.	Comparison	of different	controllers.
----------	------------	--------------	--------------

	$\eta_{\scriptscriptstyle aero}(\%)$
NLF	89.46
T-S MPC	92.55

5 Conclusion

In this paper, a singularly perturbed T-S model is proposed of wind energy conversion systems. The maximum point tracking problem is studied, and a T-S MPC method is developed. In the end, two numerical examples are carried out the compare the control strategy proposed with the nonlinear feedback linearization method. The results show that the T-S MPC brings better performance.

This work was jointly supported by the Natural Science Foundation of Jinling Institute of Technology (40620029), National Science Foundation of the Higher Education Institutions of Jiangsu Province (No.15KJB520010), Jiangsu Province's Natural Science Foundation (No.BK20171114), A joint prospective Industry-University-Research Collaboration project of Jiangsu Province (No.BY2016012-02), and Ministry of Education's Cooperative Education Project (No.201701056001, No.201602009006).

References

- B. Boukhezzar, L. Lupu, H. Siguerdidjane, et al. Multivariable control strategy for variable speed, variable pitch wind turbines. Renewable Energy, 32(8):1273-1287 (2007).
- 2. A. Mechter, K. Kemih, M. Ghanes. Backstepping control of a wind turbine for low wind speeds. Nonlinear Dynamics, **84(4)**:2435-2445 (2016).
- 3. A. Bektache, B. Boukhezzar. Nonlinear predictive control of a DFIG-based wind turbine for power capture optimization. Int. J. Elec. Power, **101**:92-102 (2018).
- 4. S. M. R. Kazmi, H. Goto, H. J. Guo, et al. A Novel Algorithm for Fast and Efficient Speed-Sensorless

Maximum Power Point Tracking in Wind Energy Conversion Systems. IEEE T. Ind. Electron, **58(1)**:29-36 (2010).

- D. C. Phan, S. Yamamoto. Rotor speed control of doubly fed induction generator wind turbines using adaptive maximum power point tracking. Eng., 111:377-388 (2016).
- M. M. Hand, M. J. Balas. Non-Linear and Linear Model Based Controller Design for Variable-Speed Wind Turbines. (New York American Society of Mechanical Engineers, 1999)
- 7. X. Yao, C. Guo, Z. Xing, et al. Pitch regulated LQG controller design for variable speed wind turbine. *International Conference on Mechatronics and Automation*, 845-849 (2009).
- 8. X. Wang, S. Hou, S. Wang, et al. Multi-objective optimization torque control of wind turbine based on LQG optimal control. *Chinese Control and Decision Conference*, 405-408 (2013).
- Y. M. Liu, E. Y. Yi, X. D. Wang, et al. Research on Capture the Maximum Wind Energy Base on Fuzzy PID Controller. App. Mech. & Materials, 268-270:1422-1425 (2013).
- C. Xiao, L. Zhang, J. Yan. Fuzzy PID Controller for Wind Turbines. *The Second International Conference on Intelligent Networks and Intelligent Systems*.74-77 (2009).
- K. Ro, H. H. Choi. Application of neural network controller for maximum power extraction of a gridconnected wind turbine system. Elec. Eng., 88(1):45-53 (2005).
- T. Diveux, P. Sebastian, D. Bernard, et al. Horizontal axis wind turbine systems: optimization using genetic algorithms. Wind Energy, 4(4):151– 171 (2001).
- B. Boukhezzar, H. Siguerdidjane. Nonlinear Control of a Variable-Speed Wind Turbine Using a Two-Mass Model. IEEE T. Energy Conver., 26(1):149-162 (2011).
- X. Liu, X. Kong. Nonlinear Model Predictive Control for DFIG-Based Wind Power Generation. IEEE T. Auto. Sci. Eng., 11(4):1046-1055 (2014).
- Y. Zhang, D. S. Naidu, C. X. Cai, and Y. Zou, Singular perturbation and Time Scales in Control Theories and Applications: An Overview 2002-2012, Inter. J. Infor. & Sys. Sci., 9: 1-36 (2014).
- 16. D. S. Naidu, *Singular Perturbation Methodology in Control Systems* (Peter Peregrinus Ltd., 1988).
- 17. K. Xu. Singular Perturbation in the Control Systems (Science China Press, 1986).
- 18. L. Wang, Model Predictive Control System Design and Implementation Using MATLAB, (Springer, 2009).